



NOTICES TO MARINERS

Issue No.16(Total No.1019)

Notice No.483-504

19 April 2021

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following web-sites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Marine Chart Press Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806556 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hcmail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. For symbols used in the Notices to Mariners, see GB12319-1998.
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (′) and seconds (″), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	24101	HUANGHUA PORT AND APPROACHES	1:75 000	2021年3月第6版	
2	44124	JIANGYA TO YUANYUANSHA	1:25 000	2021年4月第37版	
3	44127	NANCAO FAIRWAY(I)	1:25 000	2021年4月第37版	
4	44128	NANCAO FAIRWAY(II)	1:25 000	2021年4月第37版	
5	44129	NANCAO FAIRWAY(III)	1:25 000	2021年4月第37版	
6	53451	SHIPU PORT AND APPROACHES	1:50 000	2021年3月第2版	
7	66441	DONGSHAN BAY AND APPROACHES	1:40 000	2021年3月第2版	
8	81001	DONGSHAN ISLAND TO SHIBEISHANJIAO	1:150 000	2021年3月第2版	
9	84203	DANGAN ISLAND TO DAWANSHAN ISLAND	1:75 000	2021年3月第4版	
10	01102	EAST QIONGZHOU STRAIT	1:60 000	2021年3月第3版	

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	24101	HUANGHUA PORT AND APPROACHES	1:75 000	2020年1月第5版	
2	44124	JIANGYA TO YUANYUANSHA	1:25 000	2020年12月第36版	
3	44127	NANCAO FAIRWAY(I)	1:25 000	2020年12月第36版	
4	44128	NANCAO FAIRWAY(II)	1:25 000	2020年12月第36版	
5	44129	NANCAO FAIRWAY(III)	1:25 000	2020年12月第36版	
6	53451	SHIPU PORT AND APPROACHES	1:50 000	2014年3月第1版	

No.	Chart No.	Name	Scale	Date	Note
7	66441	DONGSHAN BAY AND APPROACHES	1:40 000	2013年2月第1版	
8	81001	DONGSHAN ISLAND TO SHIBEISHANJIAO	1:150 000	2012年12月第1版	
9	84203	DANGAN ISLAND TO DAWANSHAN ISLAND	1:75 000	2020年3月第3版	
10	01102	EAST QIONGZHOU STRAIT	1:60 000	2017年1月第2版	

2,Marine Information

Chinese Version Only.

INDEX

1, GEOGRAPHICAL INDEX

Bohai Sea	Approaches to Hongyanhe Plant	(490)
	Panjin Port	(491)
	Dongying Port	(492), (493)
	Laizhou Gulf	(494)
	Laizhou Gulf Northwards	(495), (496)
Yellow Sea	Dandong Port	(489)
East China Sea	Changjiangkou and Approaches	(483), (484), (485)
	Hangzhou Bay	(497)
	Zhoushan Archipelago	(486)
	Approaches to Yongjiangkou	(498)
South China Sea	Nan'ao Island Southwards	(499)
	Wanshan Archipelago	(500)
	Zhujiangkou	(501), (502)
	Zhuhai Port	(487)
	Yamen Channel	(503)
	Zhanjiang Port	(504)
Beibu Gulf	Qinzhou Bay and Approaches	(488)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
11101		489
11112		489
11113		489
12371		490
12373		490
13149		491
32201		492
33001		494,495
36001		496
1304		493,495
44001	483,484,485	
44124	483	
44125	483	
44126	483	
44127	484	
44128	484	
44129	485	
44133	483	
44173	484,485	
44174	483	
44211	483	
51001	486	
51131		497
51171		497
52001	486	
52132		497
52134	486	
52135	486	
52136	486	
52139	486	
52172	484	497
52173	486	
53001	486	
53132		498
53171	486	
2308	484,485,486	

Notices to Mariners

483. East China Sea – Changjiangkou and Approaches – Wreck & Shallow Depth

Delete	9 ₄	(1) 31°19'23".9N, 121°43'52".9E
	9 ₄	(2) position(1) above
	10	(3) 31°21'36".3N, 121°37'12".4E
	8 ₃	(4) 31°21'47".3N, 121°36'35".7E
	4 ₄ 及等深线	(5) 31°24'39".4N, 121°34'31".2E
	5 ₆	(6) 31°24'38".2N, 121°34'34".4E
	16 ₂	(7) 31°23'29".8N, 121°33'40".2E
	16 ₂	(8) position(7) above
	17 ₆	(9) 31°23'39".1N, 121°33'40".1E
	17 ₆	(10) position(9) above
	18 ₃	(11) 31°23'43".2N, 121°33'39".5E
	9 ₃	(12) 31°25'07".0N, 121°29'49".1E
	9 ₃	(13) position(12) above
	15 ₂	(14) 31°25'34".4N, 121°30'17".9E
	概位: 数据报(2018)	(15) 31°23'18".0N, 121°33'54".0E
Insert	9 ₆	(16) 31°19'24".0N, 121°43'52".8E
	9 ₅	(17) 31°21'36".4N, 121°37'12".3E
	9 ₅ 及等深线	(18) position(17) above
	7 ₉	(19) 31°21'47".7N, 121°36'35".0E
	4 ₆	(20) 31°24'39".1N, 121°34'31".3E
	18 ₃	(21) 31°23'39".1N, 121°33'40".0E
	18 ₃	(22) 31°23'43".1N, 121°33'39".6E
	9 ₃	(23) 31°25'06".3N, 121°29'50".9E
	15 ₇	(24) 31°25'34".4N, 121°30'17".8E
	3 ₃ 及等深线	(25) 31°24'42".6N, 121°34'25".2E
Chart	44001(8、15)[2021-416] 44124(1; 16)(with chart unchanged)[2021-]	
	44125(1、3~7、9、11、12、14、15; 16、17、19~25)[2021-64]	
	44126(9、11、12、14; 21~24)[2020-1546] 44133(5、6; 20、25)[2021-64]	
	44174(2、8、10、14、15; 16、18、19、22~25)[2021-106] 44211(13; 23)[2021-]	

Source Hydrography Department Shanghai MSA

484. East China Sea – Changjiangkou and Approaches – Nancao Fairway – Shallow Depth

Delete  (1) 31°02'10".7N, 122°19'51".2E

Insert  (2) 31°02'10".7N, 122°19'51".1E

Chart 44001[2021-483] 44127(with chart unchanged)[2021-]
44128(with chart unchanged)[2021-]
44173[2021-416] 52172[2021-417] 2308[2021-447]

Source Hydrography Department Shanghai MSA

485. East China Sea – Changjiangkou and Approaches – Nancao Fairway – Wreck

Delete  (2019) (1) 31°05'09".1N, 121°58'55".1E

Insert 3 (2) 31°05'08".4N, 121°58'57".8E

Chart 44001[2021-484] 44129(with chart unchanged)[2021-] 44173[2021-484]
2308[2021-484]

Source Hydrography Department Shanghai MSA

486. East China Sea – Zhoushan Archipelago – Zhoushan Island and Approaches –
Submarine Pipeline

Insert submarine pipeline named
"舟山钓梁-舟山秀山东", joining:
(1) 30°06'10".4N, 122°16'14".1E
(2) 30°06'23".4N, 122°16'14".2E
(3) 30°06'30".3N, 122°16'14".1E
(4) 30°06'43".7N, 122°16'12".9E
(5) 30°06'49".6N, 122°16'11".4E
(6) 30°06'55".8N, 122°16'09".3E
(7) 30°07'00".0N, 122°16'07".0E
(52136北图廓交点)
(8) 30°07'01".7N, 122°16'06".1E
(9) 30°07'07".2N, 122°16'02".5E
(10) 30°07'12".5N, 122°15'58".4E
(11) 30°07'17".3N, 122°15'53".6E

- (12)30°07'21".6N,122°15'48".5E
- (13)30°07'25".6N,122°15'42".8E
- (14)30°07'29".0N,122°15'36".9E
- (15)30°07'31".8N,122°15'30".4E
- (16)30°07'34".2N,122°15'23".6E
- (17)30°07'35".9N,122°15'16".5E
- (18)30°07'37".0N,122°15'09".3E
- (19)30°07'44".5N,122°13'55".4E
- (20)30°07'45".2N,122°13'47".9E
- (21)30°07'46".0N,122°13'40".4E
- (22)30°07'47".2N,122°13'33".2E
- (23)30°07'48".9N,122°13'25".9E
- (24)30°07'50".8N,122°13'19".0E
- (25)30°07'53".3N,122°13'12".0E
- (26)30°07'56".4N,122°13'05".2E
- (27)30°07'59".6N,122°12'58".9E
- (28)30°08'41".5N,122°11'43".0E
- (29)30°08'45".0N,122°11'36".9E
- (30)30°08'48".3N,122°11'30".2E
- (31)30°08'51".1N,122°11'23".5E
- (32)30°08'53".3N,122°11'16".4E
- (33)30°08'54".6N,122°11'09".3E
- (34)30°09'00".8N,122°10'30".0E
- (52135 东图廓交点)
- (35)30°09'03".4N,122°10'14".5E

submarine pipeline named

"舟山秀山西-舟山长白东", joining:

- (36)30°10'43".7N,122°08'32".5E
- (37)30°11'00".5N,122°07'53".1E
- (38)30°11'15".0N,122°07'11".7E
- (39)30°11'22".2N,122°06'49".7E
- (40)30°11'23".8N,122°06'43".2E

- (41)30°11'25".2N,122°06'36".0E
(53171 东图廓交点)
- (42)30°11'25".2N,122°06'35".8E
- (43)30°11'26".3N,122°06'28".2E
- (44)30°11'26".7N,122°06'20".8E
- (45)30°11'26".7N,122°06'13".2E
- (46)30°11'26".3N,122°06'05".6E
- (47)30°11'25".5N,122°05'58".3E
- (48)30°11'24".3N,122°05'51".2E
- (49)30°11'22".8N,122°05'44".2E
- (50)30°11'10".8N,122°05'09".1E
- (51)30°11'09".5N,122°05'01".8E
- (52)30°11'06".6N,122°04'47".3E
- (53)30°11'04".6N,122°04'40".1E
- (54)30°11'02".3N,122°04'33".1E
- (55)30°10'54".6N,122°04'12".7E
- (56)30°10'53".0N,122°04'05".4E
- (57)30°10'51".4N,122°03'50".2E
- (58)30°10'51".5N,122°03'44".0E
- (59)30°10'55".2N,122°03'25".2E

submarine pipeline named

"舟山长白西-舟山马目", joining:

- (60)30°10'59".7N,122°00'48".5E
- (61)30°10'57".6N,122°00'44".4E
- (62)30°10'57".1N,122°00'42".4E
- (63)30°10'55".6N,122°00'37".6E
- (64)30°10'45".5N,122°00'00".0E
(52139 东图廓交点)
- (65)30°10'38".4N,121°59'33".1E
- (66)30°10'36".6N,121°59'25".6E
- (67)30°10'34".5N,121°59'18".7E
- (68)30°10'31".8N,121°59'12".0E
- (69)30°10'28".4N,121°59'05".6E

(70)30°10'24".5N,121°58'59".6E

(71)30°10'20".1N,121°58'54".1E

(72)30°10'15".5N,121°58'49".1E

(73)30°09'59".9N,121°58'35".8E

(52139 南图廓交点)

(74)30°09'54".4N,121°58'32".2E

Note: Chinese Version Only.

Chart 51001(1~6,8~33,35;36~40,42~59;62,65,67~70,72,74)

(with chart unchanged)[2021-446]

52001(1~6,8~33,35;36~40,42~59;62,65,67~70,72,74)

(with chart unchanged)[2021-446]

52134(1~6,8~33,35)(with chart unchanged)[2021-419]

52135(34,35;36~40,42~59;62,63,65~74)(with chart unchanged)[2021-446]

52136(1~7)(with chart unchanged)[2021-291]

52139(64~73)(with chart unchanged)[2021-264]

52173(1~6,8~33,35;36~40,42~59)(with chart unchanged)[2021-420]

53001(1~6,8~33,35;36~40,42~59;62,65,67~70,72,74)

(with chart unchanged)[2021-447]


53171(41~59;62,63,65~74)(with chart unchanged)[2021-446]

2308(1,4,8,11,14,17,20,22,24,26,30,32,35;36~40,42~59;62,67,69,70,74)

(with chart unchanged)[2021-485]

Source Zhoushan Navigation Notice 016/2021

487.South China Sea – Zhuhai Port – Gaolan Harbour – Buoyage

Amend from:(F2-1)  闪(3)绿10s

(1)21°56'36".0N,113°11'59".7E

to: (F2A)  闪(3)绿10s

(2)position(1)above

Chart 84301[2021-] 84307[2020-1528]

List of Lights CNP83/2020~2021[7413655.01]

Source Nanhai Aids 010/2021

488.Beibu Gulf – Qinzhou Bay and Approaches – Lightbeacon

Insert 测风塔(1)  莫(U)15s8.2m10M
雷康(D) AIS (1)21°20'15".0N,108°47'03".1E
(2)★莫(U)红15s8.2m3M(同闪) (2)21°20'15".0N,108°47'02".8E
(3)★莫(U)红15s8.2m3M(同闪) (3)21°20'15".2N,108°47'02".9E

Chart 92001(1)[2021-271] 92101(1)[2021-271] 3316(1)[2021-429]

List of Lights CNP83/2020~2021[8110514.01][8110514.02][8110514.03]

Source Nanhai Aids 011/2021

Temporary Notices

489. Yellow Sea – Dandong Port – Dadong Harbour – Dredging (T)

Date March 16 to December 31, 2021

Area joining: (1) 39°48'35".8N, 124°09'25".8E
(2) 39°48'36".8N, 124°09'36".7E
(3) 39°47'18".6N, 124°09'48".2E
(4) 39°45'13".2N, 124°09'31".8E
(5) 39°43'03".1N, 124°08'11".4E
(6) 39°43'07".5N, 124°08'02".0E
(7) 39°45'15".5N, 124°09'21".1E
(8) 39°47'18".5N, 124°09'37".2E
(9) position (1) above

Chart 11101 11112 11113

Source Dandong Navigation Notice 039/2021

490. Bohai Sea – Approaches to Hongyanhe Plant – Construction (T)

Date March 12 to July 30, 2021

Area joining: (1) 39°48'43".8N, 121°28'56".2E
(2) 39°48'56".2N, 121°28'27".4E
(3) 39°48'21".1N, 121°27'40".6E
(4) 39°47'26".5N, 121°27'51".4E
(5) 39°46'58".6N, 121°28'33".6E
(6) 39°47'04".6N, 121°29'01".0E
(7) position (1) above

Chart 12371 12373

Source Dalian Navigation Notice 035/2021

491. Bohai Sea – Panjin Port – Rongxing Harbour – Dredging (T)

Date March 13 to December 31, 2021, day and night

Area joining: (1) 40°40'57".6N, 121°58'57".6E
(2) 40°41'00".7N, 121°59'00".3E
(3) 40°41'01".8N, 121°59'00".8E
(4) 40°41'05".2N, 121°59'03".8E

Blank Page

- (5)40°41'06".1N,121°59'04".8E
- (6)40°41'09".2N,121°59'07".6E
- (7)40°41'23".4N,121°58'39".0E
- (8)40°41'17".4N,121°58'19".7E
- (9)40°40'31".6N,121°58'06".6E
- (10)40°40'24".8N,121°58'32".6E
- (11)40°40'43".7N,121°58'45".7E
- (12)position (1) above

without the following area:

- radius 100m, central point: (13)40°41'04".0N,121°58'43".4E
- radius 100m, central point: (14)40°40'41".5N,121°58'19".1E
- radius 100m, central point: (15)40°41'05".2N,121°58'24".5E

Note: Keep watching on VHF ch.69 and AIS is working.

Chart 13149

Source Yingkou Navigation Notice 036/2021

492.Bohai Sea – Dongying Port – Drilling(T)

- Date** March 9 to August 8, 2021
- Area** radius 500m, central point: 38°10'12".0N,118°56'43".6E
- Chart** 32201
- Source** Dongying Navigation Notice 070/2021

493.Bohai Sea – Dongying Port – Drilling(T)

- Date** March 10 to June 10, 2021
- Area** radius 500m, central point: 38°14'26".0N,118°48'22".0E
- Chart** 1304
- Source** Dongying Navigation Notice 071/2021

494.Bohai Sea – Laizhou Gulf – Construction(T)

- Date** March 20 to June 20, 2021
- Area** radius 500m, central point: 37°55'51".6N,119°09'14".4E
- Chart** 33001
- Source** Dongying Navigation Notice 080/2021

Blank Page

495. Yellow Sea – Laizhou Gulf Northwards – Construction (T)

Date January 8 to May 31, 2021

Area area1, joining: (1)38°05'46".6N,119°45'43".6E
(2)38°04'57".2N,119°48'15".5E
(3)38°02'57".2N,119°47'13".0E
(4)38°03'46".6N,119°44'41".2E
(5)position (1) above
area2, joining: (6)38°02'06".7N,119°44'37".0E
(7)38°02'06".9N,119°46'40".0E
(8)38°00'29".6N,119°46'40".3E
(9)38°00'29".3N,119°44'37".3E
(10)position (6) above
area3, joining: (11)38°02'11".9N,119°47'29".3E
(12)38°02'12".1N,119°49'32".3E
(13)38°00'34".7N,119°49'32".6E
(14)38°00'34".5N,119°47'29".5E
(15)position (11) above
area4, joining: (16)37°59'40".8N,119°48'51".7E
(17)37°59'41".0N,119°50'54".7E
(18)37°58'03".7N,119°50'54".9E
(19)37°58'03".5N,119°48'51".9E
(20)position (16) above
area5, joining: (21)37°57'28".9N,119°46'28".4E
(22)37°57'29".1N,119°48'31".3E
(23)37°55'51".8N,119°48'31".6E
(24)37°55'51".5N,119°46'28".7E
(25)position (21) above

Note: Keeping watch on VHF ch.09&16.

Chart 33001 1304

Source Yantai Navigation Notice 006&073/2021

496. Yellow Sea – Laizhou Gulf Northwards – Construction (T)

Date March 11 to December 31, 2021

Blank Page

Area joining: (1)36°25'55".3N,121°20'54".0E
(2)36°29'08".7N,121°31'07".7E
(3)36°27'39".4N,121°31'33".9E
(4)36°24'28".0N,121°21'21".7E
(5)position (1) above

Note: Keeping watch on VHF ch.16.

Chart 36001

Source Yantai Navigation Notice 074/2021

497.East China Sea – Hangzhou Bay – Approaches to Donghai Bridge – Working (T)

Date March 20 to December 31, 2021, by day

Area within a 200m wide area centered on the line

joining the following positions:

(1)30°51'00".0N,121°51'00".0E

(2)30°35'28".0N,121°58'00".0E

Note: Keeping watch on VHF ch.14.

Chart 51131 51171 52132 52172

Source Yangshangang Navigation Notice 117/2021

498.East China Sea – Approaches to Yongjiangkou – Surveying (T)

Date March 19 to December 31, 2021, by day

Area joining:

(1)29°58'12".0N,121°47'21".0E

(2)29°58'08".0N,121°47'28".0E

(3)29°58'13".0N,121°47'32".0E

(4)29°58'18".0N,121°47'23".0E

(5)position (1) above

Note: Keep watching on VHF ch.06(Tel.: 15957489746).

Chart 53132

Source Ningbo Navigation Notice 102/2021

499.South China Sea – Nan 'ao Island Southwards – Construction (T)

Date March 19 to August 31, 2021

Area joining:

(1)23°24'46".9N,117°01'37".7E

(2)23°24'47".5N,117°01'27".7E

(3)23°24'55".9N,117°01'21".2E

Blank Page

(4)23°25'03".9N,117°01'26".9E

(5)position (1) above

Note: Keep watching on VHF ch.16.Construction safety operation water area 50 meters
water area is safe warning water area

Chart 81105

Source Shantou Navigation Notice 027/2021

500.South China Sea – Wanshan Archipelago – Construction (T)

Date March 17 to December 31, 2021

Area Area 1, Approaches to position 22°05'42".3N,114°01'44".8E

Area2, Approaches to position 22°08'53".3N,113°49'35".2E

Chart 84203 84206 84211 84221

Source Zhuhai Navigation Notice 026/2021

501.South China Sea – Zhujiangkou – Construction (T)

Date March 18 to December 31, 2021

Area area1, joining: (1)22°39'33".8N,113°46'35".6E

(2)22°39'32".8N,113°46'33".3E

(3)22°37'47".0N,113°47'31".2E

(4)22°37'48".1N,113°47'33".6E

(5)position (1) above

area2, joining: (6)22°35'36".8N,113°45'19".9E

(7)22°35'38".0N,113°45'30".1E

(8)22°35'11".4N,113°45'47".0E

(9)22°35'02".6N,113°45'25".0E

(10)position (6) above

Note: Keep watching on VHF ch.16&69(Tel.: 13825190601).

Chart 84213 84214 84226

Source Shenzhen Navigation Notice 032/2021

502.South China Sea – Zhujiangkou – Construction (T)

Date March 20 to December 31, 2021

Area joining: (1)22°37'25".0N,113°47'35".0E

Blank Page

- (2)22°37'26".0N,113°47'36".0E
- (3)22°37'35".0N,113°47'28".0E
- (4)22°37'35".0N,113°47'27".0E
- (5)position (1) above

Chart 84214

Note: Keep watching on VHF ch.16&69(Tel.: 18870647468).

Source Shenzhen Navigation Notice 033/2021

503.South China Sea – Yamen Channel – Construction(T)

Date March 12, 2021 to April 6, 2024

- Area extend 1000m in both sides, joining:
- (1)22°01'21".5N,113°07'24".7E
 - (2)22°01'12".3N,113°07'06".8E
 - (3)22°00'57".3N,113°06'36".6E
 - (4)22°00'49".7N,113°06'16".7E
 - (5)22°00'41".0N,113°05'48".4E
 - (6)position (1) above

Chart 84302

Source Zhuhai Navigation Notice 022/2021

504.South China Sea – Zhanjiang Port – Fairway Construction(T)

Date March 21 to December 31, 2021, day and night

- Area joining:
- (1)21°00'48".0N,110°58'08".4E
 - (2)21°00'27".6N,110°58'05".4E
 - (3)21°02'49".8N,110°37'21".0E
 - (4)21°03'10".2N,110°37'23".4E
 - (5)position (1) above

Chart 87001 88102

Source Zhanjiang Navigation Notice 005/2021

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (1954 Beijing coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of *Notices to Mariners*. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai MSA Survey and Mapping Office. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.