



NOTICES TO MARINERS

Issue No.46(Total No.1049)

Notice No.1435-1467

15 November 2021

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hccd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Marine Chart Press Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806556 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hcmal@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. For symbols used in the Notices to Mariners, see GB12319-1998.
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

Correct the new chart information of 54531 & 54631 & 55151 for notice in Issue No.44 2021 as follow:

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
7	54531	AIWAN BAY AND APPROACHES	1:35 000	2021年9月第2版	
8	54631	XUANMEN BAY AND APPROACHES	1:35 000	2021年9月第2版	
9	55151	LUXIDAO TO DOGCEDAO	1:50 000	2021年9月第2版	

2,Marine Information

1.Yellow Sea – Jiangsu Coastal – Wreck

Insert 概位:  据报(2021)

32°51'00"N、123°45'00"E

Source Shanghai Navigation Warning 0863/2021

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tianjin Port	(1462)
	Yantai Port	(1439)
Yellow Sea	Laotieshan Channel Eastwards	(1435),(1436)
	Laotieshan Channel	(1437)
	Laotieshan Channel Southeastwards	(1438)
	Miaodao Archipelago	(1461)
	Qingdao Port	(1463)
	Lianyungang Port and Approaches	(1440)
	Lvsi Port Northeastwards	(1441)
	Lvsi Port	(1442)
Tongzhou Bay	(1464)	
East China Sea	Changjiangkou and Approaches	(1443),(1444)
	Zhoushan Archipelago	(1445),(1446)
Taiwan Strait	Xiangzhijiao Southwards	(1447)
South China Sea	Dacheng Bay Southwards	(1448)
	Shantou Port and Approaches	(1449)
	Rongjiang	(1465)
	Haimen Bay	(1450)
	Shibeishanjiao Southeastwards	(1451)
	Daxingshan Southeastwards	(1452)
	Dayushan Southeastwards	(1453)
	Zhujiangkou	(1454),(1455),(1466)
	Zhenhai Port	(1456)
Wailuomen Channel and Approaches	(1457)	

Beibu Gulf	Fangcheng Port	(1458), (1467)
	Hainan Island	(1459)
	Correction	(1460)



2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
12002	1435,1436,1437,1438	
12301	1435	
12338	1437	1461
23133		1462
33001	1439	
34001	1439	
34122	1439	
36145		1463
37001	1440	
1301	1435,1436,1437,1438	
1302	1435,1436,1437,1438,1439	
1303	1460	
1304	1435,1436,1437,1438,1439	
1305	1439	
41101	1440	
41122	1440	
41321	1440	
43001	1441,1442	
43134	1442	1464
43171	1442	
43232	1442	
43271	1441,1442	
44001	1443	
44122	1443	
44173	1443	
44212	1444	
44256	1444	
52001	1445,1446	
52136	1446	
52138	1445	
52173	1445,1446	
52174	1446	
53001	1445,1446	
64321	1447	
66001	1448	
66541	1448	



Chart No.	Notice No.	Notice No. (T)
2307	1441	
2308	1443,1445,1446	
81001	1448	
81101	1448	
81102	1448	
81201	1449,1450	
81202	1449	
81204	1449	
81208		1465
81209	1450	
83001	1452,1453	
84001	1453	
84002	1453	
84206	1453	
84215	1454	
84218		1466
84221	1455	
84233	1454	
85104	1456	
88001	1457	
92101	1458	
93101	1458	
93102	1458	1467
01102	1457	
02001	1459	
02101	1459	
3313	1448,1451,1452	
3315	1457	

Notices to Mariners


1435.Yellow Sea – Laotieshan Channel Eastwards – Shallow Depth

Insert  (1)38°40'36".9N,121°24'31".9E
 (2)38°40'49".2N,121°27'08".3E
Chart 12002[2021-1123] 12301[2021-1052] 1301[2021-1118] 1302[2021-1410]
1304[2021-1410]
Source NTM2021-(35)-1221


1436.Yellow Sea – Laotieshan Channel Eastwards – Shallow Depth

Delete 46 (1)38°32'00".0N,121°34'26".4E
Insert  (2)38°35'03".6N,121°39'50".3E
 (3)38°31'58".7N,121°34'23".8E
Chart 12002[2021-1435] 1301[2021-1435] 1302[2021-1435] 1304[2021-1435]
Source NTM2021-(35)-1222

1437.Yellow Sea – Laotieshan Channel – Shallow Depth


Delete 56 (1)38°33'59".0N,121°16'53".8E
Insert  (2)38°34'00".4N,121°17'01".0E
Chart 12002[2021-1436] 12338[2021-966] 1301(2)[2021-1436]
1302(2)[2021-1436] 1304(2)[2021-1436]
Source NTM2021-(35)-1223

1438.Yellow Sea – Laotieshan Channel Southeastwards – Shallow Depth

Insert  38°19'43".8N,121°25'41".7E
Chart 12002[2021-1437] 1301[2021-1437] 1302[2021-1437] 1304[2021-1437]
Source NTM2021-(35)-1224

1439.Bohai Sea – Yantai Port – Longkou Harbour – V-AIS

Insert (1)  V-AIS (1)37°49'00".0N,120°12'45".0E
(2)  V-AIS (2)37°46'23".3N,120°12'45".0E

(3)  V-AIS (3) 37°43'46".7N, 120°12'45".0E
Chart 33001 [2021-1122] 34001 [2021-1410] 34122(3) [2021-1122]
 1302 [2021-1438] 1304 [2021-1438] 1305 [2021-1324]
List of Lights CNP81/2020~2021 [3410545.01] [3410545.02] [3410545.03]
Source Beihai Aids 049/2021

1440. Yellow Sea – Lianyungang Port and Approaches – Aids













Insert 盛虹(1)  莫(0)黄 12s (1) 34°39'09".6N, 119°37'08".8E
 徐圩管道(1)  莫(C)黄 12s (2) 34°44'20".8N, 119°43'09".7E
 (2)  莫(C)黄 12s (3) 34°44'27".0N, 119°42'55".9E
 (3)  莫(C)黄 12s (4) 34°44'38".4N, 119°43'03".5E
 (4)  莫(C)黄 12s (5) 34°44'32".1N, 119°43'17".2E
 (5)  V-AIS (6) 34°43'26".2N, 119°42'31".1E
 (6)  V-AIS (7) 34°42'34".0N, 119°41'56".4E
 (7)  V-AIS (8) 34°41'04".9N, 119°40'57".2E
 (8)  V-AIS (9) 34°39'35".9N, 119°39'58".1E
 (9)  V-AIS (10) 34°38'06".9N, 119°38'59".0E
 (10)  V-AIS (11) 34°36'06".9N, 119°38'49".4E
 (11)  V-AIS (12) 34°34'07".0N, 119°38'39".8E
 ★ 等明暗红 2s 10m 4M (13) 34°39'03".7N, 119°37'34".5E

Chart 37001 (2,6~13) [2021-1423]
 41101 (1,2,4,6~11,13) (3,5 with chart unchanged) [2021-1423]
 41122 (6,7) (8,9 with chart unchanged) [2021-1207] 41321 (1,9~13) [2021-1207]
List of Lights CNP82/2020~2021 [4110548.01] [4110548.02] [4110548.03] [4110548.04]
 [4110548.05] [4110548.06] [4110548.07] [4110548.08] [4110548.09]
 [4110548.10] [4110548.11] [4110557] [4110557.01]
Source East China Sea Aids 010/2021

1441. Yellow Sea – Lvsi Port Northeastwards – Aids

Move  V-AIS from: (1) 32°13'09".0N, 122°03'33".6E
 to: (2) 32°13'27".4N, 122°03'38".3E

(沉24)  互明暗蓝黄3s from: (3)32°13'18".6N,122°03'33".6E

to: (4)32°13'37".1N,122°03'38".3E

(沉25)  互明暗蓝黄3s from: (5)32°12'59".4N,122°03'33".6E

to: (6)32°13'17".6N,122°03'38".3E

Chart 43001(3,4)[2021-1356] 43271[2021-1356] 2307(3,4)[2021-1356]

List of Lights CNP82/2020~2021[4310816][4310816.24][4310816.25]

Source East China Sea Aids 010/2021

1442.Yellow Sea – Lvsj Port – Aids

Delete (31)  闪(3)绿10s (1)32°08'21".9N,121°36'33".2E

(32)  闪(3)红10s (2)32°08'14".5N,121°36'18".5E

Move (25)  闪(3)绿10s from: (3)32°06'19".9N,121°43'46".2E

to: (4)32°06'27".7N,121°43'30".8E

(26)  闪(3)红10s from: (5)32°06'38".3N,121°42'48".4E

to: (6)32°06'55".8N,121°42'22".6E

(27)  闪绿4s from: (7)32°07'29".8N,121°41'26".3E

to: (8)32°07'35".3N,121°41'24".5E

(28)  闪红4s from: (9)32°07'52".3N,121°39'57".5E

to: (10)32°07'53".0N,121°40'14".7E

(29)  闪(2)绿6s from: (11)32°08'12".8N,121°38'29".3E

to: (12)32°08'13".5N,121°38'37".4E

(30)  闪(2)红6s from: (13)32°08'03".5N,121°37'33".2E

to: (14)32°08'08".7N,121°37'18".6E

(33)  闪绿4s from: (15)32°08'55".4N,121°35'19".3E

to: (16)32°09'09".1N,121°34'39".0E

(34)  闪红4s from: (17)32°09'17".7N,121°34'07".7E

to: (18)32°09'09".1N,121°34'15".3E

(36)  快红 from: (19)32°09'50".5N,121°31'58".1E

to: (20)32°09'51".6N,121°32'05".6E

Insert (31)  闪(3)绿10s (21)32°08'26".1N,121°36'02".2E

(32)  闪(3)红10s (22)32°08'24".5N,121°35'33".1E

(26A)  V-AIS

(23) 32°07'36".9N, 121°40'53".0E

Chart 43001(1;3,4,9,10,17,18;21,23)[2021-1441] 43134(15~20;22)[2020-421]
43171(15~20;21,22)[2020-572] 43232(1,2;3~14;21~23)[2021-1356]
43271[2021-1441]

List of Lights CNP82/2020~2021[4310910.25] [4310910.26] [4310910.261] [4310910.27]
[4310910.28] [4310910.29] [4310910.30] [4310910.31] [4310910.32]
[4310910.33] [4310910.34] [4310910.36]

Source East China Sea Aids 010/2021

1443. East China Sea – Changjiangkou and Approaches – V-AIS

Insert  V-AIS

31°09'53".0N, 122°15'29".4E

Chart 44001[2021-1411] 44122[2021-] 44173[2021-1210] 2308[2021-1392]

List of Lights CNP82/2020~2021[4510590.091]

Source East China Sea Aids 010/2021

1444. East China Sea – Changjiangkou and Approaches – Huangpu River – Lightbeacon

Delete ★ 闪黄 4s 10m 4M

31°17'23".3N, 121°34'00".8E

Chart 44212[2021-1367] 44256[2021-379]

List of Lights CNP82/2020~2021[4512074]

Source East China Sea Aids 010/2021

1445. East China Sea – Zhoushan Archipelago – Xiaoban Island Southwards – Aids

Insert  V-AIS

(1) 30°07'53".4N, 122°34'55".0E

(沉1)  互明暗蓝黄 3s

(2) 30°08'03".4N, 122°34'55".0E

(沉2)  互明暗蓝黄 3s

(3) 30°07'43".4N, 122°34'55".0E

Chart 52001(2)[2021-1371] 52138[2021-] 52173(1,2)[2021-1370]
53001(2)[2021-1392] 2308(2)[2021-1443]



List of Lights CNP82/2020~2021[5312615] [5312615.01] [5312615.02]

Source East China Sea Aids 010/2021

1446. East China Sea – Zhoushan Archipelago – Putuoshan Northwards – Aids

Insert  V-AIS

(1) 30°03'45".0N, 122°23'39".0E

(沉5)  互明暗蓝黄 3s
互明暗蓝黄 3s
(沉6)  互明暗蓝黄 3s
互明暗蓝黄 3s

(2) 30°03'50".0N, 122°23'44".0E

(3) 30°03'40".0N, 122°23'34".0E

Chart 52001(2)[2021-1445] 52136[2021-1249] 52173(1,2)[2021-1445]
52174(1,2)[2021-1350] 53001(2)[2021-1445] 2308(2)[2021-1445]

List of Lights CNP82/2020~2021[5312776] [5312776.05] [5312776.06]

Source East China Sea Aids 010/2021

1447.Taiwan Strait – Xiangzhijiao Southwards – Shallow Depth

Delete 3₁ (1) 24°45'03".8N, 118°46'50".0E

Insert  (2) 24°45'04".2N, 118°46'49".6E

Chart 64321[2021-673]

Source Hydrography Department Shanghai MSA

1448.South China Sea – Dacheng Bay Southwards – Laoniujiao – Aids

Delete 老牛礁鱼礁(1)  莫(F)黄 12s (1) 23°31'15".5N, 117°12'49".7E

(2)  莫(F)黄 12s (2) 23°30'38".4N, 117°12'12".0E

(3)  莫(F)黄 12s (3) 23°31'01".2N, 117°12'03".6E

(4)  莫(F)黄 12s (4) 23°31'52".1N, 117°12'27".6E

Insert 老牛礁鱼礁(1)  V-AIS (5) position (1) above

(2)  V-AIS (6) position (2) above

(3)  V-AIS (7) position (3) above

(4)  V-AIS (8) position (4) above




Chart 66001(1,2,4;5,6,8)[2021-1375] 66541(1;5)[2021-40]
81001(1,2,4;5,6,8)[2021-1417] 81101[2021-896] 81102[2020-1493]
3313(1;5)[2021-1417]

List of Lights CNP83/2020~2021[7110159.01] [7110159.02] [7110159.03] [7110159.04]
[7110160] [7110170] [7110180] [7110190]











Source Nanhai Aids 074/2021

1449.South China Sea – Shantou Port and Approaches – Aids


Move (1)  莫(P)黄 12s from: (1) 23°17'30".5N, 116°47'32".6E

to: (2)23°17'29".0N,116°47'31".2E
 (2)  莫(P)黄 12s from: (3)23°17'55".5N,116°47'11".6E
 to: (4)23°17'54".2N,116°47'10".1E
 Insert  V-AIS (5)23°17'33".8N,116°47'32".3E
 V-AIS (6)23°17'57".5N,116°47'12".2E
 Chart 81201(1~4)[2021-1417] 81202[2021-1417] 81204[2021-1417]
 List of Lights CNP83/2020~2021[7110700.01][7110700.02][7110701.01][7110701.02]
 Source Nanhai Aids 078/2021

1450.South China Sea – Haimen Bay – Aids

Delete (2)  闪(2)绿 6s (1)23°10'11".3N,116°37'39".4E
 (3)  闪(2)红 6s (2)23°10'41".2N,116°37'27".7E
 (4)  闪红 4s (3)23°10'43".4N,116°37'39".1E
 (1)  闪(3)红 10s (4)23°10'36".5N,116°37'01".3E
 Amend from: (2)  甚快(3)5s (5)23°10'40".1N,116°37'05".5E
 to: (1)  甚快(3)5s (6)23°10'41".7N,116°37'05".8E
 from: (3)  快(6)+长闪 15s (7)23°10'46".8N,116°37'12".3E
 to: (2)  快(6)+长闪 15s (8)23°10'45".0N,116°37'12".4E
 Move (1)  闪红 4s from: (9)23°10'01".5N,116°37'26".0E
 to: (10)23°09'59".5N,116°37'26".0E
 Insert  V-AIS (11)position (1) above
 Chart 81201(9,10)[2021-1449] 81209[2021-1376]
 List of Lights CNP83/2020~2021[7111089][7111090.01][7111090.02][7111110.03]
 [7111110.04][7111129.01][7111129.02][7111130.01]
 Source Nanhai Aids 077/2021

1451.South China Sea – Shibeishanjiao Southeastwards – V-AIS

Delete  V-AIS 22°20'19".4N,117°03'52".1E
 Chart 3313[2021-1448]
 List of Lights CNP83/2020~2021[7110142]

Source Nanhai Aids 080/2021

1452.South China Sea – Daxingshan Southeastwards – V-AIS

Insert  V-AIS 22°18'35".8N,115°01'25".1E

Chart 83001[2021-1333] 3313[2021-1451]

List of Lights CNP83/2020~2021[7310089]

Source Nanhai Aids 079/2021

1453.South China Sea – Dayushan Southeastwards – Xilingzhou Southwards –

Obstruction

Insert  碍 22°14'08".3N,114°02'01".0E

Chart 83001[2021-1452] 84001[2021-1418] 84002[2021-1418] 84206[2021-1378]

Source Hongkong NTM 2021-(21)-81

1454.South China Sea – Zhujiangkou – Humen Bridge – Aids

Amend from: (49)  定绿3M
雷康(M) (1)22°47'24".3N,113°36'14".7E

to: (49)  定绿3M
雷康(M) AIS (2)22°47'24".3N,113°36'14".6E

from: (50)  定绿3M
雷康(M) (3)22°47'25".1N,113°36'14".0E

to: (50)  定绿3M
雷康(M) AIS (4)position (3) above

from: (75)  定绿3M
雷康(B) (5)22°47'49".2N,113°36'57".1E

to: (75)  定绿3M
雷康(B) AIS (6)position (5) above

from: (76)  定绿3M
雷康(B) (7)22°47'50".2N,113°36'56".5E

to: (76)  定绿3M
雷康(B) AIS (8)position (7) above

Chart 84215(1,2,5,6)[2021-1360] 84233(1,2,5,6)[2021-1305]

List of Lights CNP83/2020~2021[7412020.005][7412020.49][7412020.75][7412020.76]

Source Nanhai Aids 072/2021

1455.South China Sea – Zhujiangkou – Macao Harbour – Buoyage

Amend from: (A1)  闪绿4s (1)22°11'24".0N,113°31'42".0E

to: (B22)  闪绿4s (2)22°11'22".3N,113°31'42".9E

from: (A2)  闪红4s (3)22°11'19".2N,113°31'39".9E








to:	(B23)  闪红 4s	(4) position (3) above
from:	(A3)  闪绿 4s	(5) 22°11'36".0N, 113°31'54".0E
to:	(B24)  闪绿 4s	(6) 22°11'38".3N, 113°31'51".9E
from:	(A4)  闪红 4s	(7) 22°11'48".0N, 113°31'54".0E
to:	(B25)  闪红 4s	(8) 22°11'50".5N, 113°31'56".4E
from:	(A5)  闪绿 4s	(9) 22°11'54".0N, 113°32'00".0E
to:	(B26)  闪绿 4s	(10) 22°11'54".9N, 113°32'01".5E

Chart 84221 (with chart unchanged) [2021-1378]

List of Lights CNP83/2020~2021[M110480.01] [M110480.02] [M110480.03] [M110480.04]
[M110480.05]

Source Nanhai Aids 076/2021

1456. South China Sea – Zhenhai Port – Lightbeacon

Insert  闪黄 4s 21°52'25"N, 112°25'41"E

Chart 85104 [2018-]

List of Lights CNP83/2020~2021[7510565]

Source Jiangmen Waterway Notice 044/2021

1457. South China Sea – Wailuomen Channel and Approaches – V-AIS

Delete  V-AIS 20°19'09".3N, 110°30'36".1E


Chart 88001 [2021-1338] 01102 [2021-934] 3315 [2021-1394]

List of Lights CNP83/2020~2021[7812121]

Source Nanhai Aids 075/2021

1458. Beibu Gulf – Fangcheng Port – Buoyage

Delete (2)  闪(2+1)红 9s (1) 21°33'13".4N, 108°21'12".6E

Move from: (1)  闪绿 4s (2) 21°33'29".9N, 108°21'31".5E

to: (3) 21°33'27".9N, 108°21'31".7E

Amend from: (1-1)  甚快(9) 10s (4) 21°33'36".0N, 108°21'36".7E

to: (2)  甚快(9) 10s (5) position (4) above

Chart 92101(4,5) [2021-1379] 93101 [2021-] 93102 [2021-]

List of Lights CNP83/2020~2021[8510120.01][8510120.011][8510120.02]

Source Nanhai Aids 073/2021

1459.South China Sea – Hainan Island – Qinglan Port – Lightbeacon

Insert (Q1) ★ 闪(3)8s6m3M (1)19°31'24".1N,110°52'10".9E

(Q2) ↓ 甚快(6)+长闪10s6m3M (2)19°31'06".8N,110°51'15".4E
黑黄黑

Chart 02001(1)[2021-874] 02101[2021-]

List of Lights CNP83/2020~2021[9130073.01][9130073.02]

Source Nanhai Aids 071/2021

1460.Correction

There is a mistake in the tracing paper production for chart 1303 of the notices No.1389 in Issue No.44 2021.

Chart 1303[2021-1389]

Temporary Notices

1461.Yellow Sea – Miaodao Archipelago – Nanhuangcheng Island Southeastwards – Construction(T)

Date September 30, 2021 to November 30, 2022

Area joining: (1)38°19'11".0N,121°00'14".0E
(2)38°19'11".0N,121°01'03".0E
(3)38°20'02".0N,121°01'03".0E
(4)38°20'02".0N,121°00'14".0E
(5)position (1) above

Note: Irrespective vessels are prohibited into the temporary safety zone.

Chart 12338

Source Yantai Navigation Notice 439/2021

1462.Bohai Sea – Tianjin Port – Gaoshaling Harbour – Construction(T)

Date September 30, 2021 to June 30, 2022, day and night

Area 250m from each side of the line, joining: (1)38°51'55".4N,117°47'11".5E
(2)38°51'48".8N,117°47'30".6E
(3)38°51'37".4N,117°47'24".0E
(4)38°51'43".6N,117°47'04".5E
(5)position (1) above

Note: Keep watching on VHF ch.10.

Chart 23133

Source Dagukou Navigation Notice 095/2021

1463.Yellow Sea – Qingdao Port – Dongjiakou Harbour – Dredging(T)

Date February 12, 2021 to June 30, 2022

Area joining: (1)35°36'54".2N,119°47'57".8E
(2)35°36'54".3N,119°48'46".9E
(3)35°35'40".3N,119°48'47".1E
(4)35°35'40".2N,119°48'18".9E
(5)35°36'05".1N,119°48'18".8E
(6)35°36'05".1N,119°48'09".5E
(7)35°36'28".2N,119°47'57".7E

Blank Page

(8)position (1) above

Note: Keep watching on VHF ch.12.
Chart 36145
Source Dongjiakou Navigation Notice 052&456/2021

1464.Yellow Sea – Tongzhou Bay – Construction (T)

Date October 14, 2021 to April 25, 2022
Area joining: (1)32°11'38".3N,121°31'27".6E
(2)32°11'39".3N,121°32'06".8E
(3)32°10'43".5N,121°32'08".4E
(4)32°10'56".3N,121°31'29".0E
(5)position (1) above

Note: Keep watching on VHF ch.16.
Chart 43134
Source Nantong Navigation Notice 183/2021

1465.South China Sea – Rongjiang – Rongjiang Channel – Bridge Construction (T)

Date October 16, 2021 to April 30, 2022
Area joining: (1)23°33'37".4N,116°25'13".4E
(2)23°33'39".5N,116°25'17".9E
(3)23°33'44".3N,116°25'18".7E
(4)23°33'48".1N,116°25'08".4E
(5)23°33'40".8N,116°25'03".3E
(6)position (1) above

Note: Keeping watch on VHF ch.16.
Chart 81208
Source Jieyang Navigation Notice 071/2021

1466.South China Sea – Zhujiangkou – Approaches to Sanjiao Island – Pier Construction (T)

Date July 10, 2019 to April 30, 2022
Area approximate point, approximate to: 22°08'43".3N,113°42'42".7E
Note: Keep watching on VHF ch.16.
Chart 84218
Source Zhuhai Navigation Notice 066/2019&082/2020&126/2021

Blank Page

1467.Beibu Gulf – Fangcheng Port – Berth Construction (T)

Date October 14, 2021 to January 1, 2023

Area joining:

- (1) 21°36'04".0N, 108°23'30".7E
- (2) 21°36'04".7N, 108°23'30".7E
- (3) 21°36'10".7N, 108°23'24".1E
- (4) 21°36'10".8N, 108°23'12".7E
- (5) 21°36'12".6N, 108°23'09".6E
- (6) 21°36'15".0N, 108°23'15".5E
- (7) 21°36'13".4N, 108°23'37".7E
- (8) 21°36'06".1N, 108°23'38".0E
- (9) 21°36'04".7N, 108°23'36".6E
- (10) 21°36'04".0N, 108°23'36".7E
- (11) 21°36'04".0N, 108°23'35".2E
- (12) 21°35'48".2N, 108°23'35".2E
- (13) 21°35'48".2N, 108°23'34".1E
- (14) 21°36'04".0N, 108°23'34".1E
- (15) position (1) above

Chart 93102

Source Fangchenggang Navigation Notice 045/2021

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (1954 Beijing coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai MSA Survey and Mapping Office. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.