



NOTICES TO MARINERS

Issue No.33(Total No.1088)

Notice No.749-781

15 August 2022

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hccd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Marine Chart Press Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806556 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hcmal@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. For symbols used in the Notices to Mariners, see GB12319-1998.
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (′) and seconds (″), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44124	JIANGYA TO YUANYUANSHA	1:25 000	2022年7月第42版	
2	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2022年7月第42版	
3	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2022年7月第42版	
4	44134	BUZHENGANG TO NANMENGANG	1:25 000	2022年7月第19版	
5	44252	ZHANGHUABANG FAIRWAY	1:5 000	2022年7月第22版	
6	44258	LUJIAZUI FAIRWAY	1:5 000	2022年7月第27版	
7	52151	DEEP WATER HARBOUR OF YANGSHAN(I)	1:15 000	2022年7月第5版	

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44124	JIANGYA TO YUANYUANSHA	1:25 000	2022年5月第41版	
2	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2022年5月第41版	
3	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2022年5月第41版	
4	44134	BUZHENGANG TO NANMENGANG	1:25 000	2021年12月第18版	
5	44252	ZHANGHUABANG FAIRWAY	1:5 000	2021年11月第21版	
6	44258	LUJIAZUI FAIRWAY	1:5 000	2022年1月第26版	
7	52151	DEEP WATER HARBOUR OF YANGSHAN(I)	1:15 000	2021年11月第4版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tianjin Port and Approaches	(749)
	Tianjin Port	(772),(773)
	Dongying Port	(774),(775),(776)
	Weifang Port	(777)
	Laizhou Port	(750),(751)
Yellow Sea	Dalian Port	(770),(771)
	Rizhao Port	(778),(779),(780),(781)
	Lvsi Port	(752)
East China Sea	Yangshan Harbour and Approaches	(753)
	Hangzhou Gulf	(754)
	Zhoushan Archipelago	(755),(756),(757)
	Niubishan Channel	(758)
	Jiaojiang River	(759)
	Inner Port of Shacheng	(760)
	Dongyin Island Southwards	(761)
	Minjiang River	(762)
Songxia Port and Approaches	(763)	
Taiwan Strait	Nanri Island Southwestwards	(764)
	Xiamen Port and Approaches	(765),(766)
	P'eng-hu Lieh-tao	(767)
South China Sea	Shapa Coastal	(768)
	Correction	(769)



2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
12316		770
12333		771
12334		771
22001		772
22122		772,773
23001	749	772
23101	749	772,773
23112	749	773
23113		773
23114		773
23115		773
23116		773
23118		773
23119		773
23123		773
24101		772
24115		772
32201		774
33001	750	775
33301		777
33325		776
34112	750	777
34113	750,751	
37101		778
37122		778
37123		780,781
37124		778,779
1304	749	772
43232	752	
43271	752	
51001	754	
51171	753,754	
52001	755	
52132	753	
52133	755	
52136	757	




Chart No.	Notice No.	Notice No. (T)
52138	755	
52172	753	
52173	755	
52174	757	
53001	757	
53132	756	
53341	758	
54311	759	
61122	760	
62001	761	
62315	762	
62431	763	
62521	763	
62561	763	
62661	764	
63001	764	
63132	764	
65131	765	
65171	765,766	
66001	766	
2308	754,755	
2310	761	
2311	764	
2312	766,767	
85001	768	
87001	768	
87101	768	
92001	769	
92101	769	
92103	769	
92104	769	
92107	769	
3315	768	

Notices to Mariners


749. Bohai Sea – Tianjin Port and Approaches – Obstruction

Delete  (1) 38°47'53".4N, 117°59'03".6E
Insert  (2) 38°47'53".9N, 117°59'04".5E
Chart 23001[2022-708] 23101[2022-709] 23112[2022-] 1304[2022-707]
Source Tianjin Hydrographic Center






750. Bohai Sea – Laizhou Port – Lightbeacon

Insert  莫(C)黄12s6.4m4M (1) 37°26'14".7N, 120°00'21".4E
前灯  定红24m6M (2) 37°26'14".5N, 120°01'02".1E
后灯  定红36m6M (3) 37°26'02".9N, 120°01'14".5E
Chart 33001(1)[2022-629] 34112[2021-968] 34113[2021-411]
List of Lights CNP81/2021~2022[3410231][3410235][3410236]
Source Beihai Aids 024/2022

751. Bohai Sea – Laizhou Port – Buoyage

Move (317)  闪绿4s from: (1) 37°26'19".8N, 120°01'02".2E
to: (2) 37°26'17".1N, 120°01'10".9E
Chart 34113[2022-750]
List of Lights CNP81/2021~2022[3410230.17]
Source Beihai Aids 024/2022

752. Yellow Sea – Lvsi Port – Buoyage

Amend from: 西港池(T1)  莫(C)黄12s(同闪) (1) 32°04'47".5N, 121°38'49".0E
to: 西港池(T1)  莫(O)黄12s(同闪) (2) position (1) above
from: (T2)  莫(C)黄12s(同闪) (3) 32°04'55".8N, 121°38'51".3E
to: (T2)  莫(O)黄12s(同闪) (4) position (3) above
from: (T3)  莫(C)黄12s(同闪) (5) 32°05'05".3N, 121°38'45".5E








to:	(T3)  莫(O)黄 12s(同闪)	(6)position (5) above
from:	(T4)  莫(C)黄 12s(同闪)	(7)32°05'08".7N,121°38'33".9E
to:	(T4)  莫(O)黄 12s(同闪)	(8)position (7) above
from:	(T5)  莫(C)黄 12s(同闪)	(9)32°05'11".6N,121°38'07".4E
to:	(T5)  莫(O)黄 12s(同闪)	(10)position (9) above
from:	(T6)  莫(C)黄 12s(同闪)	(11)32°05'13".6N,121°37'48".5E
to:	(T6)  莫(O)黄 12s(同闪)	(12)position (11) above

Chart 43232[2022-] 43271(1,2,11,12)[2022-241]

List of Lights CNP82/2021~2022[4310913.01][4310913.02][4310913.03][4310913.04]
[4310913.05][4310913.06]

Source East China Sea Aids 003/2022

753.East China Sea – Yangshan Harbour and Approaches – Donghai Bridge Southeastwards – Lightbeacon









Insert	(1) 	(1)30°44'08".9N,122°00'35".0E
	(2) 	(2)30°42'44".9N,122°00'32".6E

Chart 51171(2)[2022-723] 52132(2)[2022-723] 52172(2)[2022-723]

List of Lights CNP82/2021~2022[5310684.01][5310684.02]


Source East China Sea Aids 003/2022

754.East China Sea – Hangzhou Gulf – Wangpanshan Southeastwards – Lightbeacon


Insert	嘉兴风电(1)  莫(C)黄 12s16m5M(同闪)	(1)30°30'27".7N,121°29'55".6E
	(2)  莫(C)黄 12s16m5M(同闪)	(2)30°28'19".7N,121°29'53".7E
	(3)  莫(C)黄 12s16m5M(同闪)	(3)30°25'59".0N,121°29'51".5E
	(4)  莫(C)黄 12s16m5M(同闪)	(4)30°23'38".2N,121°29'49".3E
	(5)  莫(C)黄 12s16m5M(同闪)	(5)30°24'46".1N,121°28'31".6E
	(6)  莫(C)黄 12s16m5M(同闪)	(6)30°26'31".5N,121°27'15".1E
	(7)  莫(C)黄 12s16m5M(同闪)	(7)30°28'42".8N,121°27'17".0E
	(8)  莫(C)黄 12s16m5M(同闪)	(8)30°30'54".7N,121°27'19".1E

Note: 嘉兴风电 1~8 号灯桩同步闪光。
Chart 51001〔2022-723〕 51171(1~3,6~8)〔2022-753〕 2308(1,4,6,8)〔2022-723〕
List of Lights CNP82/2021~2022[5110885.01][5110885.02][5110885.03][5110885.04]
[5110885.05][5110885.06][5110885.07][5110885.08]
Source Ningbo Navigation Notice 085/2022


755.East China Sea – Zhoushan Archipelago – Benboshan Northwards – V-AIS

Insert  V-AIS 30°18'07".9N,122°28'54".5E
Chart 52001〔2022-723〕 52133(with chart unchanged)〔2021-1370〕
52138〔2021-1445〕 52173〔2022-710〕 2308〔2022-754〕
List of Lights CNP82/2021~2022[5312425]
Source East China Sea Aids 003/2022

756.East China Sea – Zhoushan Archipelago – Chuanshangangxikou – Lightbeacon

Insert (2)  莫(C)黄 12s9.3m3M(同闪) 29°55'37".0N,121°54'29".4E
Note: 北仑柴净 1 号和 2 号灯桩同步闪光。
Chart 53132(with chart unchanged)〔2022-735〕
List of Lights CNP82/2021~2022[5313451][5313452]
Source East China Sea Aids 003/2022

757.East China Sea – Zhoushan Archipelago – Xuanbogushan Southeastwards – Wreck

Insert 概位:  据报(2022) 29°49'48".6N,122°19'44".4E
Note: The wreck is named "浙定 58610".
Chart 52136〔2022-33〕 52174〔2022-756〕 53001〔2022-686〕
Source Zhejiang Navigation Warning 0522/2022


758.East China Sea – Niubishan Channel – Changzuitou Northeastwards – Lightbeacon

Insert ★ 闪红 2s11m3M 29°26'55".5N,121°59'11".5E
Chart 53341〔2022-686〕

List of Lights CNP82/2021~2022[5510883]

Source East China Sea Aids 003/2022

759.East China Sea – Jiaojiang River – Lightbeacon

Delete  (1)28°42'06".8N,121°23'54".9E
(警临19)  莫(P)黄12s4M (2)28°42'05".3N,121°23'54".6E
Insert (警19)  莫(P)黄12s10m4M (3)position (2) above

Note: Delete temporary notices No.1234 in Issue No.40 2017。

Chart 54311[2022-]

List of Lights CNP82/2021~2022[5710750.19] [5710750.191]

Source East China Sea Aids 003/2022

760.East China Sea – Inner Port of Shacheng – Bachimen Super Bridge – Aids



Amend from: (1)  定红 (1)27°14'49".1N,120°14'21".2E
to: (1)  莫(P)黄12s (2)position (1) above
from: (2)  定红 (3)27°14'48".8N,120°14'20".3E
to: (2)  莫(P)黄12s (4)position (3) above
from: (7)  定绿 (5)27°14'54".1N,120°14'18".3E
to: (7)  等明暗4s2M (6)position (5) above
from: (8)  定绿 (7)27°14'53".7N,120°14'17".4E
to: (8)  等明暗4s2M (8)position (7) above
from: (13)  定红 (9)27°14'57".9N,120°14'16".0E
to: (13)  莫(P)黄12s (10)position (9) above
from: (14)  定红 (11)27°14'57".6N,120°14'15".1E
to: (14)  莫(P)黄12s (12)position (11) above
from: 桥(1)  定绿 (13)27°15'10".6N,120°14'51".4E
to: 桥(1)  闪绿4s (14)27°15'02".8N,120°14'31".6E
from: 桥(2)  定绿 (15)27°14'55".3N,120°14'07".9E
to: 桥(2)  快绿 (16)27°14'53".3N,120°14'07".6E

Chart 61122(1,2,5,6,9,10,13~16)[2022-467]

List of Lights CNP82/2021~2022[6110250.01][6110250.02][6110260.02][6110260.07]
[6110260.08][6110260.13][6110260.14][6110270]

Source East China Sea Aids 003/2022

761.East China Sea – Dongyin Island Southwards – V-AIS

Insert  V-AIS 26°17'11".9N,120°29'20".1E

Chart 62001[2022-599] 2310[2022-599]

List of Lights CNP82/2021~2022[6210022]

Source East China Sea Aids 003/2022

762.East China Sea – Minjiang River – Kuipu Bridge Northwestwards – Aids









Insert 魁岐出水口(T1)  闪(2)绿6s (1)26°02'09".4N,119°22'05".2E
(T2)  闪(2)红6s (2)26°01'59".4N,119°22'10".0E
(T3)  闪(3)绿10s (3)26°02'21".4N,119°21'51".2E
(T4)  闪(3)红10s (4)26°02'18".8N,119°21'49".1E
冠城(1)  闪4s6.5m2M (5)26°02'11".6N,119°21'53".8E
(2)  闪4s6.5m2M (6)26°02'10".3N,119°21'55".3E
冠城(1)  闪(2)绿6s (7)26°02'09".8N,119°21'49".3E
(2)  闪(2)红6s (8)26°02'06".0N,119°21'53".8E

Chart 62315[2019-]

List of Lights CNP82/2021~2022[6211086.01][6211086.02][6211087.01][6211087.02]
[6211088.01][6211088.02][6211088.03][6211088.04]

Source East China Sea Aids 003/2022

763.East China Sea – Songxia Port and Approaches – Buoyage

Insert (4)  莫(P)黄12s (1)25°40'34".3N,119°39'01".0E
(5)  莫(P)黄12s (2)25°39'53".5N,119°38'03".8E
(6)  莫(P)黄12s (3)25°41'42".4N,119°38'24".9E
(7)  莫(P)黄12s (4)25°41'08".1N,119°37'24".9E


- (8)  莫(P)黄12s (5)25°42'19".8N,119°38'00".0E
 (9)  莫(P)黄12s (6)25°42'38".3N,119°37'52".3E
 (10)  莫(P)黄12s (7)25°43'05".6N,119°37'32".5E

Chart 62431(1,4~6)[2022-633] 62521(1,4)[2022-633] 62561(4)[2022-633]

List of Lights CNP82/2021~2022[6211685.04][6211685.05][6211685.06][6211685.07]
 [6211685.08][6211685.09][6211685.10]

Source East China Sea Aids 003/2022

764.Taiwan Strait – Nanri Island Southwestwards – Beidingyu – Lightbeacon

- Amend from:  闪4s19m4M (1)25°08'16".6N,119°23'31".4E
 雷康(C)
 to:  闪4s19m4M (2)position (1) above

Chart 62661[2022-387] 63001[2022-387] 63132[2022-387] 2311[2022-601]

List of Lights CNP82/2021~2022[6410290]

Source East China Sea Aids 003/2022

765.Taiwan Strait – Xiamen Port and Approaches – Xiamen Island Southeastwards – Lightbeacon

- Insert  定红 24°27'42".8N,118°10'41".2E

Chart 65131[2022-88] 65171[2022-634]

List of Lights CNP82/2021~2022[6610209]

Source East China Sea Aids 003/2022

766.Taiwan Strait – Xiamen Port and Approaches – Jinmen Island Southwards – Lightbeacon

- Insert (A1)  V-AIS (1)24°11'21".1N,118°22'19".9E
 (A2)  V-AIS (2)24°10'49".6N,118°22'55".6E
 (A3)  V-AIS (3)24°12'30".8N,118°24'47".8E
 (A4)  V-AIS (4)24°13'02".1N,118°24'11".9E

Chart 65171(1,3,4)[2022-765] 66001[2022-635] 2312(1,3)[2022-687]

List of Lights CNP82/2021~2022[6611201.01][6611201.02][6611201.03][6611201.04]

Source East China Sea Aids 003/2022



767.Taiwan Strait – P' eng- hu Lieh- tao – P' eng- huto Southwards and Approaches – Caution

Insert note "Many marine farms exist in the vicinity.
Vessels should navigate with caution." (1)23°30'05".0N,119°35'40".5E
note "Many marine farms exist in the vicinity.
Vessels should navigate with caution." (2)23°28'54".2N,119°31'46".1E

Chart 2312[2022-766]

Source NTM 2022-(22)-795

768.South China Sea – Shapa Coastal – Wreck

Insert  (1)21°19'30"N,111°34'02"E
 (2)21°16'45"N,111°22'47"E



Note: (1)&(2) are both the wreck named "福景001".

Chart 85001(1)[2022-729] 87001[2022-730] 87101(2)[2022-602] 3315[2022-730]

Source Yangjiang Navigation Notice 061/2022

769.Correction

Correct notices No.655 in Issue No.29 2022 as follow:

Correct from:  等明暗红4s8m3M (5)21°39'04".5N,108°39'36".4E
to:  等明暗红4s8m3M (5)21°39'04".5N,108°39'36".4E



from:  等明暗红4s8.4m3M (6)21°38'48".3N,108°39'48".8E
to:  等明暗红4s8.4m3M (6)21°38'48".3N,108°39'48".8E

Chart 92001(6)[2022-732] 92101[2022-732] 92103(6) [2022-655]
92104(5)[2021-655] 92107[2022-655]

Temporary Notices

770. Yellow Sea – Dalian Port – Liushutun Harbour – Construction (T)

Date August 3, 2021 to December 31, 2022

Area joining:

- (1) 38°59'49".6N, 121°39'36".1E
- (2) 38°59'48".9N, 121°39'35".6E
- (3) 38°59'48".8N, 121°39'35".9E
- (4) 38°59'47".0N, 121°39'35".0E
- (5) 38°59'47".0N, 121°39'35".2E
- (6) 38°59'45".0N, 121°39'39".5E
- (7) 38°59'44".9N, 121°39'39".4E
- (8) 38°59'44".2N, 121°39'40".9E
- (9) 38°59'46".6N, 121°39'42".6E
- (10) position (1) above

Chart 12316

Source Dalian Navigation Notice 159/2021&127/2022

771. Yellow Sea – Dalian Port – Dayaowan Harbour – Fairway Construction (T)

Date January 18 to December 31, 2022

Area joining:

- (1) 38°59'49".2N, 121°56'32".4E
- (2) 38°59'34".2N, 121°56'20".4E
- (3) 39°00'35".4N, 121°54'13".8E
- (4) 39°00'31".8N, 121°53'11".4E
- (5) 39°01'26".4N, 121°51'39".0E
- (6) 39°02'02".4N, 121°51'21".0E
- (7) 39°01'50".4N, 121°51'55".2E
- (8) 39°00'53".4N, 121°54'19".2E
- (9) position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operating area.

Chart 12333 12334

Blank Page

Source Dalian Navigation Notice 013&128/2022

772.Bohai Sea – Tianjin Port – Seismic Exploration (T)

Date January 1 to December 31, 2022

Area joining:

- (1)38°46'30".0N,118°33'24".3E
- (2)38°46'04".0N,118°41'52".6E
- (3)38°44'31".5N,118°44'19".2E
- (4)38°43'28".3N,118°43'15".2E
- (5)38°41'57".4N,118°45'34".9E
- (6)38°44'30".1N,118°48'16".4E
- (7)38°39'08".7N,118°56'29".2E
- (8)38°31'42".6N,118°48'37".1E
- (9)38°34'11".6N,118°44'48".2E
- (10)38°32'26".9N,118°42'57".5E
- (11)38°35'01".9N,118°38'58".9E
- (12)38°32'54".4N,118°36'44".7E
- (13)38°41'49".0N,118°22'56".3E
- (14)38°46'26".7N,118°27'47".4E
- (15)38°44'32".2N,118°30'45".3E
- (16)position (1) above

Note: Keep watching on VHF ch.16&71.

Chart 22001 22122 23001 23101 24101 24115 1304

Source Dongjiang Navigation Notice 122/2021&034/2022

773.Bohai Sea – Tianjin Port – Surveying (T)

Date February 8 to December 31, 2022, day

Area joining:

- (1)39°03'02".4N,117°45'42".4E
- (2)39°02'45".7N,117°46'31".2E
- (3)38°59'15".6N,117°47'29".9E
- (4)38°58'34".8N,117°48'42".2E
- (5)38°55'28".1N,118°07'01".6E
- (6)38°51'30".2N,118°13'46".4E

Blank Page

- (7)38°51'08".6N,118°13'23".5E
- (8)38°55'02".2N,118°06'17".1E
- (9)38°57'04".6N,117°50'38".1E
- (10)38°57'27".7N,117°50'43".0E
- (11)38°58'22".7N,117°45'11".5E
- (12)38°59'18".0N,117°42'51".8E
- (13)38°59'31".5N,117°42'56".5E
- (14)38°59'16".6N,117°44'38".6E
- (15)38°58'37".9N,117°46'41".0E
- (16)39°01'39".6N,117°45'25".0E
- (17)position (1) above

Note: Keep watching on VHF ch.09&14.

Chart 22122 23101 23112 23113 23114 23115 23116 23118 23119 23123

Source Beijing Navigation Notice 003&033/2022

774.Bohai Sea – Dongying Port – Dongying Harbour – Dredging (T)

Date June 28 to December 31, 2022

Area joining:

- (1)38°04'19".0N,118°58'18".0E
- (2)38°04'16".0N,118°58'17".0E
- (3)38°04'06".0N,118°58'24".0E
- (4)38°04'19".0N,118°58'57".0E
- (5)38°04'25".0N,118°58'33".0E
- (6)position (1) above

Chart 32201

Source Shandong Navigation Notice 400/2022

775.Bohai Sea – Dongying Port – Drilling (T)

Date June 24 to December 31, 2022

Area radius 1M, central point 37°50'36".0N,119°41'27".0E

Chart 33001

Source Yantai Navigation Notice 388/2022

Blank Page

776. Bohai Sea – Dongying Port – Guangli Harbour – Pier Construction (T)

Date June 30, 2022 to March 31, 2023

Area joining: (1) 37°22'05".9N, 118°59'23".0E
(2) 37°22'09".6N, 118°59'35".9E
(3) 37°22'03".9N, 118°59'38".4E
(4) 37°21'59".9N, 118°59'44".3E
(5) 37°21'55".2N, 118°59'27".8E
(6) position (1) above

Chart 33325

Source Shandong Navigation Notice 390/2022

777. Bohai Sea – Weifang Port – Construction (T)

Date June 18 to December 31, 2022, day and night

Area joining: (1) 37°18'18".0N, 119°23'48".0E
(2) 37°18'18".0N, 119°29'48".0E
(3) 37°12'54".0N, 119°29'48".0E
(4) 37°12'54".0N, 119°23'48".0E
(5) position (1) above

Chart 33301 34112

Source Shandong Navigation Notice 387/2022

778. Yellow Sea – Rizhao Port – Pier Construction (T)

Date January 25, 2018 to June 30, 2023

Area area1, joining: (1) 35°12'43".5N, 119°23'28".4E
(2) 35°12'43".8N, 119°24'20".4E
(3) 35°12'31".2N, 119°24'20".6E
(4) 35°12'31".2N, 119°24'15".0E
(5) 35°12'30".7N, 119°24'15".0E
(6) 35°12'28".6N, 119°24'17".6E
(7) 35°11'43".0N, 119°25'10".3E
(8) 35°11'21".6N, 119°25'47".1E
(9) 35°10'23".1N, 119°28'25".7E

Blank Page

- (10) 35°10'17".8N, 119°28'22".8E
- (11) 35°11'16".2N, 119°25'44".2E
- (12) 35°11'24".4N, 119°25'21".9E
- (13) 35°11'59".9N, 119°24'41".2E
- (14) 35°12'17".5N, 119°23'57".4E
- (15) 35°12'19".0N, 119°23'55".7E
- (16) 35°12'19".0N, 119°23'55".1E
- (17) 35°12'14".1N, 119°23'55".1E
- (18) 35°12'14".0N, 119°23'38".6E
- (19) 35°12'22".6N, 119°23'38".5E
- (20) 35°12'22".6N, 119°23'28".0E
- (21) 35°12'31".3N, 119°23'28".0E
- (22) 35°12'31".3N, 119°23'38".5E
- (23) 35°12'35".1N, 119°23'38".4E
- (24) 35°12'35".0N, 119°23'28".5E
- (25) position (1) above
- (26) 35°11'39".6N, 119°23'11".8E
- (27) 35°11'39".8N, 119°23'39".0E
- (28) 35°11'04".6N, 119°23'39".2E
- (29) 35°11'04".5N, 119°23'12".1E
- (30) position (26) above
- (31) 35°10'24".8N, 119°23'14".1E
- (32) 35°10'24".9N, 119°23'28".4E
- (33) 35°09'58".6N, 119°23'28".6E
- (34) 35°09'58".5N, 119°23'14".3E
- (35) position (31) above

area2, joining:

area3, joining:

Note: Keep watch on VHF ch.09&16.

Chart 37101 37122 37124

Source Rizhao Navigation Notice 005/2018&404/2022

779.Yellow Sea – Rizhao Port – Pier Construction(T)

Date January 9, 2016 to June 30, 2023

Blank Page

Area area1, joining: (1)35°10'02".6N,119°24'30".8E
(2)35°09'04".3N,119°24'43".0E
(3)35°09'11".5N,119°25'38".3E
(4)35°10'03".5N,119°25'28".8E
(5)position (1) above

area2, joining: (6)35°10'25".6N,119°22'53".6E
(7)35°10'25".8N,119°23'25".3E
(8)35°09'58".9N,119°23'25".5E
(9)35°09'58".7N,119°22'53".8E
(10)position (1) above

Note: Keep watching on VHF ch.09&16.
Chart 37124
Source Rizhao Navigation Notice 001/2016&403/2022

780.Yellow Sea – Rizhao Port – Lanshan Harbour – Dredging(T)

Date August 4, 2018 to December 31, 2022

Area joining: (1)35°07'22".8N,119°23'26".8E
(2)35°07'38".3N,119°23'35".0E
(3)35°07'36".3N,119°23'44".3E
(4)35°07'29".1N,119°23'47".6E
(5)35°07'11".6N,119°23'55".5E
(6)35°07'07".0N,119°23'51".0E
(7)35°07'18".4N,119°23'25".6E
(8)position (1) above

Note: Keep watching on VHF ch.09 & 16.
Chart 37123
Source Rizhao Navigation Notice 044/2018&393/2022

781.Yellow Sea – Rizhao Port – Lanshan Harbour – Dredging(T)

Date August 4, 2018 to December 31, 2022

Area joining: (1)35°07'00".8N,119°25'11".5E
(2)35°06'51".6N,119°24'41".1E

Blank Page

(3)35°06'22".9N,119°24'54".0E

(4)35°06'21".9N,119°25'35".5E

(5)35°06'33".0N,119°25'24".0E

(6)position (1) above

Note: Keep watching on VHF ch.09&16.

Chart 37123

Source Rizhao Navigation Notice 045/2018&394/2022

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (1954 Beijing coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai MSA Survey and Mapping Office. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.